



Product Service

Attestation of Conformity

No. M8A 072433 0910 Rev. 03

Holder of Certificate: **GD Midea Heating & Ventilating Equipment Co.,Ltd.**

Penglai Industry Road, Beijiao, Shunde
528311 Foshan, Guangdong
PEOPLE'S REPUBLIC OF CHINA

Product: **Heat pump
(Monobloc heat pump)**

This Attestation of Conformity is issued on a voluntary basis according to Council Directive 2006/42/EC relating to machinery. It confirms that the listed equipment (not Annex IV equipment) complies with the principal protection requirements of the directive. It refers only to the sample submitted to TÜV SÜD Product Service GmbH for testing and certification. For details see: www.tuvsud.com/ps-cert

Test report no.: 64111180528204

Date, 2021-01-26

(Gary Sun)

Page 1 of 3

After preparation of the necessary technical documentation as well as the EC declaration of conformity the required CE marking can be affixed on the product. Other relevant directives have to be observed.



Product Service

Attestation of Conformity

No. M8A 072433 0910 Rev. 03

Model(s):

MHC-V5W/D2N8, MHC-V7W/D2N8,
MHC-V9W/D2N8, MHC-V4W/D2N8-B,
MHC-V6W/D2N8-B, MHC-V8W/D2N8-B,
MHC-V4W/D2N8-BE30, MHC-V6W/D2N8-BE30,
MHC-V8W/D2N8-BE30, MHC-V10W/D2N8-B,
MHC-V12W/D2N8-B, MHC-V10W/D2N8-BE30,
MHC-V12W/D2N8-BE30, MHC-V14W/D2N8-B,
MHC-V16W/D2N8-B, MHC-V14W/D2N8-BE30,
MHC-V16W/D2N8-BE30

Backup heater: BH30A, BH30B

Trade name:

Midea, MDV

Parameters:

Rated Voltage: 220-240V~
Rated Frequency: 50Hz
Rated power: See model list for details
Protection Class: Class I
Degree of Protection: IPX1 for Backup heater:
BH30A, BH30B
IP24 for other models
Refrigerant: R32

Model list:

Model	Rate power input: (W)	Supplementary heater power input: (W)	Backup heater: BH30A: 3000W	Backup heater: BH30B: 3000W
MHC-V9W/D2N8	3500	N/A	Optional used	N/A
MHC-V7W/D2N8	3500	N/A	Optional used	N/A
MHC-V5W/D2N8	3500	N/A	Optional used	N/A
MHC-V4W/D2N8-B	2300	N/A	Optional used	N/A
MHC-V6W/D2N8-B	2700	N/A	Optional used	N/A
MHC-V4W/D2N8-BE30	5300	3000	N/A	N/A
MHC-V6W/D2N8-BE30	5700	3000	N/A	N/A
MHC-V8W/D2N8-B	3400	N/A	N/A	Optional used
MHC-V10W/D2N8-B	3700	N/A	N/A	Optional used
MHC-V8W/D2N8-BE30	6400	3000	N/A	N/A
MHC-V10W/D2N8-BE30	6700	3000	N/A	N/A
MHC-V12W/D2N8-B	5500	N/A	N/A	Optional used
MHC-V14W/D2N8-B	5800	N/A	N/A	Optional used
MHC-V16W/D2N8-B	6200	N/A	N/A	Optional used
MHC-V12W/D2N8-BE30	8500	3000	N/A	N/A
MHC-V14W/D2N8-BE30	8800	3000	N/A	N/A
MHC-V16W/D2N8-BE30	9200	3000	N/A	N/A



Product Service

Attestation of Conformity

No. M8A 072433 0910 Rev. 03

**Tested
according to:**

EN 60335-1:2012/A2:2019
EN 60335-2-40:2003/A13:2012
EN 62233:2008

Page 3 of 3

After preparation of the necessary technical documentation as well as the EC declaration of conformity the required CE marking can be affixed on the product. Other relevant directives have to be observed.