



CERTIFICATE OF PRODUCT CERTIFICATION

SOLAR PRODUCT CERTIFICATE

CERTIFICATE NO.: CQC22024329670

Valid from: Jan.29,2022

Valid until:long-term

**NAME AND REGISTERED
ADDRESS OF THE APPLICANT**

SolaX Power Network Technology (Zhejiang) Co.,Ltd.
No.288,Shizhu Road, Tonglu Economic Development Zone, Tonglu City, Zhejiang Province, 310000
P. R. CHINA

**NAME AND REGISTERED
ADDRESS OF THE
MANUFACTURER**

SolaX Power Network Technology (Zhejiang) Co.,Ltd.
No.288,Shizhu Road, Tonglu Economic Development Zone, Tonglu City, Zhejiang Province, 310000
P. R. CHINA

**NAME AND LOCATION
OF THE FACTORY**

SolaX Power Network Technology (Zhejiang) Co.,Ltd.
No.288 Shizhu Road , Tonglu Economic development Zone. Dongxing District, Tonglu city,
Zhejiang, China

**PRODUCT NAME, MODEL
AND SPECIFICATION**

PV Grid-Connected Inverter
X3-MIC-5K-G2; X3-MIC-8K-G2; X3-MIC-10K-G2; X3-MIC-12K-G2; X3-MIC-15K-G2 (See Appendix)

**THE STANDARDS AND
TECHNICAL REQUIREMENTS
FOR THE PRODUCTS**

NB/T32004-2018

**TYPE OF CERTIFICATION
SCHEMES**

Type Testing of Product + Initial Factory Inspection + Follow up Factory Inspection

This is to certify that the above mentioned product(s) complies with the requirements of certification rules of CQC33-461239-2018.
The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body.

The certificate information is available through the QR code below or CNCA's website: www.cnca.gov.cn



SIGNATURE:

谢肇煦



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE OF PRODUCT CERTIFICATION

SOLAR PRODUCT CERTIFICATE

APPENDIX

Page 1 of 1

CERTIFICATE NO.: CQC22024329670

PAPER:

X3-MIC-15K-G2

直流输入: MPPT 电压范围 120V-980Vdc, 最大直流输入电压 1000Vdc, 最大输入电流 32A/16A; 交流输出: 3/N/PE, 220V/380V, 50Hz, 22.7A, 额定交流输出功率 15kW.

X3-MIC-12K-G2

直流输入: MPPT 电压范围 120V-980Vdc, 最大直流输入电压 1000Vdc, 最大输入电流 32A/16A; 交流输出: 3/N/PE, 220V/380V, 50Hz, 19.1A, 额定交流输出功率 12kW.

X3-MIC-10K-G2

直流输入: MPPT 电压范围 120V-980Vdc, 最大直流输入电压 1000Vdc, 最大输入电流 16A/16A; 交流输出: 3/N/PE, 220V/380V, 50Hz, 16.0A, 额定交流输出功率 10kW.

X3-MIC-8K-G2

直流输入: MPPT 电压范围 120V-980Vdc, 最大直流输入电压 1000Vdc, 最大输入电流 16A/16A; 交流输出: 3/N/PE, 220V/380V, 50Hz, 12.8A, 额定交流输出功率 8kW.

X3-MIC-5K-G2

直流输入: MPPT 电压范围 120V-980Vdc, 最大直流输入电压 1000Vdc, 最大输入电流 16A/16A; 交流输出: 3/N/PE, 220V/380V, 50Hz, 8.0A, 额定交流输出功率 5kW.

NOTE: This appendix is valid when used with the certificate.



CHINA QUALITY CERTIFICATION CENTRE